## Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

## **Listing of Claims:**

- (Currently Amended) A recombinant nucleic acid encoding an Apop3
  protein that comprises an amino acid sequence at least 85% identical to the amino acid sequence
  depicted in Figure 6 (SEQ ID NO:6), wherein the Apop3 protein affects induces apoptosis.
- 2. (Previously Amended) A recombinant nucleic acid according to claim 1

  full
  comprising the nucleotide sequence depicted in Figure 5 (SEQ ID NO:5) or its complement.
- 3. (Previously Amended) A recombinant nucleic acid according to claim 1 full complement of wherein said nucleic acid hybridizes under high stringency conditions to the nucleotide sequence depicted in Figure 5 (SEQ ID NO:5) or its complement, wherein the hybridization takes place at 60°C in the presence of between 0.01 M and 1.0 M sodium ion, and at a pH between 7.0 and 8.3.
- 4. (Previously Amended) A recombinant nucleic acid according to claim 1 wherein said nucleic acid comprises a nucleotide sequence at least 85% identical to the nucleotide sequence depicted in Figure 5 (SEQ ID NO:5) or its complement.
- 5. (Previously Amended) A recombinant nucleic acid according to claim 1 wherein said Apop3 protein comprises the amino acid sequence depicted in Figure 6 (SEQ ID NO:6)
- 6. (Original) Arecombinant nucleic acid according to claim 1 wherein said Apop3 protein is a human Apop3 protein.
- 7. (Previously Amended) A recombinant nucleic acid comprising nucleotides 1-822 depicted in Figure 5 (SEQ ID NO:5), or its complement.

2005 of 27 money

- 8. (Original) A recombinant nucleic acid according to claim 1 operably linked to control sequences recognized by a host cell transformed with the nucleic acid.
  - 9. (Original) An expression vector comprising the nucleic acid of claim 1.
  - 10. (Original) A host cell comprising the nucleic acid of claim 1.
  - 11. (Original) A host cell comprising the expression vector of claim 9.
- 12. (Currently Amended) A recombinant Apop3 protein comprising an amino acid sequence at least 85% identical to the amino acid sequence depicted in Figure 6 (SEQ ID NO:6), wherein the Apop3 protein affects induces apoptosis.
- 13. (Previously Amended) An Apop3 protein according to claim 12 comprising the amino acid sequence depicted in Figure 6 (SEQ ID NO:6).
- 14. (Previously Amended) An Apop3 protein according to claim 12 wherein said Apop3 protein is encoded by a nucleic acid comprising the nucleotide sequence depicted in Figure 5 (SEQ ID NO:5) or its complement.
- 15. (Previously Amended) An Apop3 protein according to claim 12 wherein said Apop3 protein is encoded by a nucleic acid which nucleic acid comprises a nucleotide sequence at least 85% identical to the nucleotide sequence depicted in Figure 5 (SEQ ID NO:5) or its complement.
- 16. (Previously Amended) An Apop3 protein according to claim 12 wherein said Apop3 protein is encoded by a nucleic acid which nucleic acid will hybridize under high stringency conditions to the nucleotide sequence depicted in Figure 5 (SEQ ID NO:5) or its complement, wherein the hybridization takes place at 60°C in the presence of between 0.01 M and 1.0 M sodium ion, and at a pH between 7.0 and 8.3.
- 17. (Original) An Apop3 protein according to claim 12 wherein said Apop3 protein is a human Apop3 protein.

Consolination of the Consolina

- 18. (Currently Amended) A recombinant Apop3 protein comprising the amino acid sequence 1-274 depicted in Figure 6 (SEQ ID NO:6), wherein the Apop3 protein affects induces apoptosis.
- 19. (Original) A process for producing an Apop3 protein according to claim 12 comprising culturing the host cell of claim 10 under conditions suitable for expression of said Apop3 protein.
- 20. (Original) A process according to claim 19, further comprising recovering said Apop3 protein.

## · 21-24. (Cancelled)

- 25. (Currently Amended) A method for screening for a bioactive agent capable of modulating the activity of an Apop3 protein according to claim 12, said method comprising the steps of:
- a) adding a candidate bioactive agent to a cell comprising a recombinant nucleic acid encoding said Apop3 protein, wherein said Apop3 protein affects induces apoptosis; and
- b) determining the effect of the candidate bioactive agent on apoptosis, apoptofic thereby determining the ability of the candidate bioactive agent to modulate the activity of the Apop3 protein.
- 26. (Original) A method according to claim 25 wherein a library of candidate bioactive agents is added to a plurality of cells comprising a recombinant nucleic acid encoding said Apop3 protein.
- 27. (New) The recombinant nucleic acid according to claim 1 wherein said nucleic acid comprises a nucleotide sequence at least 90% identical to the nucleotide sequence depicted in Figure 5 (SEQ ID NO:5) or its complement.

- 28. (New) The recombinant nucleic acid according to claim 1 wherein said nucleic acid comprises a nucleotide sequence at least 95% identical to the nucleotide sequence depicted in Figure 5 (SEQ ID NO:5) or its complement.
- 29. (New) The Apop3 protein according to claim 12, comprising an amino acid sequence at least 90% identical to SEQ ID NO:6.
- 30. (New) The Apop3 protein according to claim 12, comprising an amino acid sequence at least 95% identical to SEQ ID NO:6.